

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 28Feb2026 - 06Mar2026 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion June 1 to date
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	
2026-02-28	0	52	0	98	0	39	200	300	0	522
2026-03-01	0	52	0	99	0	39	200	300	0	522
2026-03-02	0	52	0	100	0	39	200	300	0	521
2026-03-03	0	52	0	99	0	39	98	125	0	520
2026-03-04	0	52	0	100	0	39	71	0	0	519
2026-03-05	0	52	0	100	0	39	200	0	0	518
2026-03-06	0	52	0	94	0	39	200	0	0	516

Pepacton Reservoir (P):	Usable storage 2026-03-07 (0800)	106.33 billion gallons	76.39 %	1260.89 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2026-03-07 (0800)	63.841 billion gallons	68.32 %	1128.71 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2026-03-07 (0800)	24.97 billion gallons	72 %	1418.68 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2026-03-07 (0800)	195.141 billion gallons	72.96 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2026-02-28	0	81	152	60	94	173	1490	2050	0.01	1.14
2026-03-01	0	81	152	60	89	174	1765	2320	0.00	0.00
2026-03-02	10	80	152	60	112	173	1903	2480	0.00	0.00
2026-03-03	0	80	153	60	281	173	2754	3500	0.56	0.56
2026-03-04	0	80	154	60	356	177	2993	3820	0.06	0.62
2026-03-05	0	80	153	60	725	242	4820	6080	0.86	1.48
2026-03-06	0	80	154	60	848	204	12385	13730	0.00	1.48

¹ Diversions by New Jersey through the D&R Canal 2026-02-28 through 2026-03-06 averaged 89.38 .

² The average diversion for the 30-day period ending 2026-03-06 is 92.38 MGD ; the maximum is 102.76 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 07Mar2026 - 13Mar2026 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion June 1 to date
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	
2026-03-07	0	52	0	97	0	39	191	0	0	515
2026-03-08	0	50	0	94	0	37	200	0	0	514
2026-03-09	0	52	0	99	0	39	284	0	0	513
2026-03-10	0	52	0	100	0	39	298	237	0	513
2026-03-11	0	52	0	99	0	39	0	300	0	513
2026-03-12	0	52	0	98	0	39	0	300	0	512
2026-03-13	0	52	0	106	0	40	0	4	0	510

Pepacton Reservoir (P):	Usable storage 2026-03-14 (0800) Spillway crest elevation 1,280.00 ft	123.05 billion gallons 139.320 billion gallons	88.4 % 1270.87 (elev.ft.)
Cannonsville Reservoir (C):	Usable storage 2026-03-14 (0800) Spillway crest elevation 1,150.00 ft.	83.734 billion gallons 93.448 billion gallons	89.6 % 1143.44 (elev.ft.)
Neversink Reservoir (N):	Usable storage 2026-03-14 (0800) Spillway crest elevation 1,440.00 ft.	30.095 billion gallons 34.682 billion gallons	86.77 % 1430.38 (elev.ft.)
Combined contents, PCN:	Usable storage 2026-03-14 (0800) Combined capacity at spillway level	236.879 billion gallons 267.460 billion gallons	88.57 %

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2026-03-07	0	80	154	60	849	200	14557	15900	0.15	1.63
2026-03-08	0	80	146	60	848	208	16558	17900	0.00	1.63
2026-03-09	0	80	151	58	848	230	24034	25400	0.00	1.63
2026-03-10	0	77	145	60	813	245	20360	21700	0.00	1.63
2026-03-11	0	81	153	60	824	259	18623	20000	0.56	2.19
2026-03-12	0	80	155	60	844	282	20278	21700	0.10	2.29
2026-03-13	0	80	153	61	844	435	16727	18300	0.06	2.35

¹ Diversions by New Jersey through the D&R Canal 2026-03-07 through 2026-03-13 averaged 93.44 .

² The average diversion for the 30-day period ending 2026-03-13 is 91.8 MGD ; the maximum is 102.76 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 14Mar2026 - 20Mar2026 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion June 1 to date
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	
2026-03-14	0	66	0	114	0	48	0	0	0	508
2026-03-15	0	67	0	115	0	48	0	0	0	507
2026-03-16	0	66	0	113	0	48	0	0	0	423
2026-03-17	0	65	0	112	0	48	0	0	0	381
2026-03-18	0	65	0	231	0	48	0	138	0	380
2026-03-19	0	65	0	391	0	48	0	273	0	380
2026-03-20	0	65	0	391	0	48	0	299	0	379

Pepacton Reservoir (P):	Usable storage 2026-03-21 (0800)	131.75 billion gallons	94.65 %	1275.83 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2026-03-21 (0800)	92.653 billion gallons	99.15 %	1149.48 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2026-03-21 (0800)	32.841 billion gallons	94.69 %	1436.22 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2026-03-21 (0800)	257.244 billion gallons	96.18 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2026-03-14	0	81	152	62	843	478	11584	13200	0.00	2.35
2026-03-15	0	81	165	74	840	439	8902	10500	0.24	2.59
2026-03-16	0	103	177	74	842	405	7919	9520	0.93	3.52
2026-03-17	0	103	178	74	842	462	16041	17700	0.00	3.52
2026-03-18	0	103	175	75	842	864	15942	18000	0.00	3.52
2026-03-19	0	101	174	74	840	672	11139	13000	0.00	3.52
2026-03-20	0	101	358	74	839	591	9137	11100	0.50	4.02

¹ Diversions by New Jersey through the D&R Canal 2026-03-14 through 2026-03-20 averaged 98.98 .

² The average diversion for the 30-day period ending 2026-03-20 is 94.75 MGD ; the maximum is 102.76 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 21Mar2026 - 27Mar2026 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion June 1 to date
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	
2026-03-21	0	65	2	451	0	48	0	300	0	500
2026-03-22	0	65	108	544	0	48	0	300	0	499
2026-03-23	0	65	424	583	0	50	0	27	0	497
2026-03-24	0	129	606	583	0	66	0	0	0	496
2026-03-25	0	193	656	550	0	74	0	0	0	494
2026-03-26	0	193	722	359	0	70	0	0	0	492
2026-03-27	0	194	1010	196	0	71	0	0	0	491

Pepacton Reservoir (P):	Usable storage 2026-03-28 (0800)	138.43 billion gallons	99.45 %	1279.52 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2026-03-28 (0800)	95.961 billion gallons	102.69 %	1151.62 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2026-03-28 (0800)	34.448 billion gallons	99.33 %	1439.51 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2026-03-28 (0800)	268.839 billion gallons	100.52 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2026-03-21	0	101	605	74	839	485	10196	12300	0.03	4.05
2026-03-22	0	101	605	74	840	413	10168	12200	0.74	4.79
2026-03-23	0	101	697	74	839	782	11907	14400	0.01	4.80
2026-03-24	0	101	842	78	839	734	13006	15600	0.00	4.80
2026-03-25	0	101	902	103	838	794	10662	13400	0.01	4.81
2026-03-26	0	200	903	115	838	676	9069	11800	0.29	5.10
2026-03-27	0	299	852	109	835	625	7881	10600	0.00	5.10

¹ Diversions by New Jersey through the D&R Canal 2026-03-21 through 2026-03-27 averaged 99.26 .

² The average diversion for the 30-day period ending 2026-03-27 is 95.53 MGD ; the maximum is 101.47 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.