

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 25Apr2026 - 01May2026 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion June 1 to date
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	
2026-04-25	0	194	154	387	0	48	453	0	0	486
2026-04-26	0	194	224	387	0	48	453	0	0	486
2026-04-27	0	194	234	386	0	48	453	0	149	486
2026-04-28	0	194	192	518	0	61	453	0	106	486
2026-04-29	0	194	144	580	0	71	453	0	113	487
2026-04-30	0	194	141	581	5	71	453	0	0	487
2026-05-01	0	194	122	580	3	72	453	0	112	487

Pepacton Reservoir (P):	Usable storage 2026-05-02 (0800)	138.29 billion gallons	99.35 %	1279.44 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2026-05-02 (0800)	94.064 billion gallons	100.66 %	1150.4 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2026-05-02 (0800)	34.716 billion gallons	100.1 %	1440.05 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2026-05-02 (0800)	267.07 billion gallons	99.85 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2026-04-25	0	300	598	74	0	415	3393	4780	0.97	3.53
2026-04-26	0	300	598	74	0	366	5762	7100	0.00	3.53
2026-04-27	0	300	598	74	0	399	6649	8020	0.00	3.53
2026-04-28	0	300	598	74	0	492	5415	6880	0.02	3.55
2026-04-29	0	300	597	94	0	484	4885	6360	0.59	4.14
2026-04-30	0	300	802	110	0	489	5859	7560	0.00	4.14
2026-05-01	0	300	898	110	0	491	6731	8530	0.25	0.25

¹ Diversions by New Jersey through the D&R Canal 2026-04-25 through 2026-05-01 averaged 93.53 .

² The average diversion for the 30-day period ending 2026-05-01 is 94.77 MGD ; the maximum is 98.89 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 02May2026 - 08May2026 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	Ave Diversion June 1 to date
2026-05-02	0	194	98	580	28	71	453	0	0	487
2026-05-03	0	193	67	580	42	71	454	0	0	487
2026-05-04	0	194	36	580	15	72	454	0	112	487
2026-05-05	0	194	16	579	0	72	453	0	113	487
2026-05-06	0	88	22	579	0	70	453	0	119	487
2026-05-07	0	81	46	579	0	58	366	0	151	487
2026-05-08	0	81	50	580	0	58	349	0	150	487

Pepacton Reservoir (P):	Usable storage 2026-05-09 (0800)	137.81 billion gallons	99 %	1279.18 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2026-05-09 (0800)	93.817 billion gallons	100.39 %	1150.24 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2026-05-09 (0800)	34.602 billion gallons	99.77 %	1439.82 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2026-05-09 (0800)	266.229 billion gallons	99.54 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2026-05-02	0	299	898	111	287	427	6137	8160	0.00	0.25
2026-05-03	0	299	898	110	500	437	5595	7840	0.00	0.25
2026-05-04	0	299	897	110	500	525	4898	7230	0.01	0.26
2026-05-05	0	299	897	111	500	560	4333	6700	0.05	0.31
2026-05-06	0	299	896	111	500	426	3967	6200	0.44	0.75
2026-05-07	0	299	896	108	500	498	4469	6770	0.04	0.79
2026-05-08	0	136	896	90	500	491	4817	6930	0.22	1.01

¹ Diversions by New Jersey through the D&R Canal 2026-05-02 through 2026-05-08 averaged 94.82 .

² The average diversion for the 30-day period ending 2026-05-08 is 94.62 MGD ; the maximum is 96.95 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 09May2026 - 15May2026 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion June 1 to date
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	
2026-05-09	0	81	79	580	12	58	349	0	108	487
2026-05-10	0	81	117	580	60	58	349	0	112	487
2026-05-11	0	81	124	580	102	58	249	0	0	487
2026-05-12	0	81	110	580	101	60	199	0	0	486
2026-05-13	5	94	109	580	102	71	199	0	0	485
2026-05-14	123	94	171	580	107	71	66	209	0	484
2026-05-15	231	94	135	580	23	71	0	299	148	484

Pepacton Reservoir (P):	Usable storage 2026-05-16 (0800)	139.92 billion gallons	100.52 %	1280.33 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2026-05-16 (0800)	94.048 billion gallons	100.64 %	1150.39 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2026-05-16 (0800)	34.692 billion gallons	100.03 %	1440 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2026-05-16 (0800)	268.66 billion gallons	100.45 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2026-05-09	0	125	896	90	500	373	4286	6270	0.39	1.40
2026-05-10	0	125	897	90	500	395	6323	8330	0.06	1.46
2026-05-11	0	125	896	90	500	388	6711	8710	0.01	1.47
2026-05-12	0	125	897	90	451	481	5597	7640	0.07	1.54
2026-05-13	0	125	897	92	400	475	4961	6950	0.49	2.03
2026-05-14	0	125	897	110	400	374	5764	7670	0.01	2.04
2026-05-15	0	145	897	110	400	303	6946	8800	0.00	2.04

¹ Diversions by New Jersey through the D&R Canal 2026-05-09 through 2026-05-15 averaged 98.33 .

² The average diversion for the 30-day period ending 2026-05-15 is 95.42 MGD ; the maximum is 102.76 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 16May2026 - 22May2026 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion June 1 to date
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	
2026-05-16	283	94	105	534	0	71	0	299	148	484
2026-05-17	252	164	42	421	0	69	0	299	147	484
2026-05-18	187	194	34	389	0	65	0	299	150	484
2026-05-19	202	163	8	388	0	65	0	299	148	484
2026-05-20	160	55	0	345	0	65	225	299	149	484
2026-05-21	61	152	0	285	0	65	225	299	0	484
2026-05-22	25	91	0	293	0	65	24	299	0	484

Pepacton Reservoir (P):	Usable storage 2026-05-23 (0800)	139.44 billion gallons	100.17 %	1280.07 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2026-05-23 (0800)	92.775 billion gallons	99.28 %	1149.56 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2026-05-23 (0800)	34.221 billion gallons	98.67 %	1439.05 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2026-05-23 (0800)	266.436 billion gallons	99.62 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2026-05-16	0	145	897	110	400	421	5466	7440	0.01	2.05
2026-05-17	0	145	897	110	87	474	4977	6690	0.00	2.05
2026-05-18	0	145	826	107	0	326	4516	5920	0.00	2.05
2026-05-19	0	254	651	100	0	400	3965	5370	0.02	2.07
2026-05-20	0	299	601	100	0	369	3490	4860	0.12	2.19
2026-05-21	0	252	601	100	0	198	3069	4220	0.01	2.20
2026-05-22	0	85	534	100	0	204	2957	3880	0.05	2.25

¹ Diversions by New Jersey through the D&R Canal 2026-05-16 through 2026-05-22 averaged 102.58 .

² The average diversion for the 30-day period ending 2026-05-22 is 97.08 MGD ; the maximum is 104.06 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 23May2026 - 29May2026 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion June 1 to date
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	
2026-05-23	80	89	0	293	0	65	0	299	0	483
2026-05-24	120	89	0	292	0	65	0	299	0	483
2026-05-25	87	89	0	292	0	65	400	299	0	484
2026-05-26	7	89	0	292	0	65	450	299	0	484
2026-05-27	0	90	0	292	0	65	449	299	224	486
2026-05-28	0	90	0	292	0	65	425	299	224	715
2026-05-29	0	90	0	292	0	65	449	299	0	715

Pepacton Reservoir (P):	Usable storage 2026-05-30 (0800)	138.2 billion gallons	99.28 %	1279.39 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2026-05-30 (0800)	91.2 billion gallons	97.59 %	1148.52 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2026-05-30 (0800)	34.108 billion gallons	98.34 %	1438.82 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2026-05-30 (0800)	263.508 billion gallons	98.52 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2026-05-23	0	235	441	100	0	219	2586	3580	1.04	3.29
2026-05-24	0	141	453	100	0	272	4134	5100	0.29	3.58
2026-05-25	0	138	453	100	0	288	5601	6580	0.02	3.60
2026-05-26	0	138	452	100	545	282	5222	6740	0.00	3.60
2026-05-27	0	138	452	100	734	259	3976	5660	0.00	3.60
2026-05-28	0	138	452	100	625	242	3073	4630	0.01	3.61
2026-05-29	0	139	452	100	99	215	2705	3710	0.01	3.62

¹ Diversions by New Jersey through the D&R Canal 2026-05-23 through 2026-05-29 averaged 96.21 .

² The average diversion for the 30-day period ending 2026-05-29 is 97.74 MGD ; the maximum is 104.06 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.